

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
1	IS & R	L1	472	(340/993,995.19) .CCLS.	US-PGPUB; USPAT; EPO; JPO	2005/08/11 15:04			
2	IS & R	L2	3400	(455/414.2,440,456.1-456.6,457,521) .CCLS.	US-PGPUB; USPAT; EPO; JPO	2005/08/11 15:05			
3	IS & R	L4	509	(701/214) .CCLS.	US-PGPUB; USPAT; EPO; JPO	2005/08/11 15:06			
4	IS & R	L3	2630	(342/357.01,357.02,450-452,457,458) .CCLS.	US-PGPUB; USPAT; EPO; JPO	2005/08/11 15:05			
5	BR S	L5	6473	1 or 2 or 3 or 4	US-PGPUB; USPAT; EPO; JPO	2005/08/11 15:06			
6	BR S	L6	28	5 and location with demand with signal	US-PGPUB; USPAT; EPO; JPO	2005/08/11 15:08			
7	BR S	L7	1707	5 and (emergency or "911" or 9-1-1)	US-PGPUB; USPAT; EPO; JPO	2005/08/11 15:07			
8	BR S	L8	62	7 and mobile adj (base adj station)	US-PGPUB; USPAT; EPO; JPO	2005/08/11 15:07			

9	BR S	L93	8 and location with demand with signal	US- PGPUB; USPAT; EPO; JPO	2005/ 08/11 15:19			
10	BR S	L10	("455"/\$ or "370"/\$)and location with demand with signal	US- PGPUB; USPAT; EPO; JPO	2005/ 08/11 15:19			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
11	BR S	L1 1	21	10 and emergency	US- PGPUB; USPAT; EPO; JPO	2005/ 08/11 15:20			
12	BR S	L1 2	21	10 and (emergency or "911" or 9-1-1)	US- PGPUB; USPAT; EPO; JPO	2005/ 08/11 15:20			
13	BR S	L1 3	2	"455"/\$ and chirp with demand and position	US- PGPUB; USPAT; EPO; JPO	2005/ 08/11 15:22			
14	BR S	L1 4	4	"455"/\$ and distress with signal with demand and position	US- PGPUB; USPAT; EPO; JPO	2005/ 08/11 15:23			
15	BR S	L1 5	2	"455"/\$ and pilot with signal with demand and position	US- PGPUB; USPAT; EPO; JPO	2005/ 08/11 15:23			
16	BR S	L1 6	24	decode with frequency with amplitude with tim\$4	US- PGPUB; USPAT; EPO; JPO	2005/ 08/11 15:24			
17	BR S	L1 7	83	("455"/\$ or "370"/\$) and decode\$4 with amplitude same tim\$4 same frequenc\$4	US- PGPUB; USPAT; EPO; JPO	2005/ 08/11 15:24			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
18	BR S	L1 8	30	("455"/\$ or "370"/\$) and decode\$4 with amplitude with tim\$4 with frequenc\$4	US-PGPUB; USPAT; EPO; JPO	2005/08/11 15:25			
19	BR S	L1 9	206	("455"/\$ or "370"/\$) and (pattern or code) with frequency with tim\$4 with amplitude	US-PGPUB; USPAT; EPO; JPO	2005/08/11 15:25			
20	BR S	L2 0	16	("455"/\$ or "370"/\$) and (pattern or code) with frequency with tim\$4 with amplitude and (emergency or "911" or 9-1-1)	US-PGPUB; USPAT; EPO; JPO	2005/08/11 15:25			